



NVENT CADDY PYRAMID ROOFTOP ANCHOR, THERMOPLASTIC POLYOLEFIN (TPO), JOHNS MANVILLE MEMBRANE, 11 3/4"

CATALOG NUMBER

CRAU24TW3J



FEATURES

Anchors require minimal roof membrane penetration

System preserves membrane manufacturers' warranty

Matching membrane material allows for consistent performance and aesthetic

Installation creates a watertight seal, eliminating water intrusion and damage to the structure

PRODUCT ATTRIBUTES

Material: Thermoplastic Polyolefin (TPO)

Membrane Manufacturer: JOHNS MANVILLE®

Color: White

Rod Size: 3/8"

Diameter: 5 1/2"

Hole Size: 0.275"

Width: 11 3/4"


ADDITIONAL PRODUCT DETAILS

nVent CADDY Pyramid Rooftop Anchors provide an ideal method of installing rooftop anchor points for bracing applications. The installation provides a watertight membrane seal to the roof deck. Superior membrane protection compared to other

evasive anchoring and ballasting techniques that can void warranties. The anchors come in TPO, PVC and EPDM single ply materials, along with modified asphalt surface.

Anchor system must be installed by a certified roofing contractor according to membrane manufacturer's guidelines to preserve membrane warranty.

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America

+1.800.753.9221

Option 1 – Customer Care

Option 2 – Technical Support

Europe

Netherlands:

+31 800-0200135

France:

+33 800 901 793

Europe

Germany:

800 1890272

Other Countries:

+31 13 5835404

APAC

Shanghai:

+ 86 21 2412 1618/19

Sydney:

+61 2 9751 8500



Our powerful portfolio of brands:

nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2022 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.