CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date	UL-CA-2228913-0 EX26895-20220630 11-Jul-2022
Issued to:	ERICO INTERNATIONAL CORPORATION 34600 SOLON RD SOLON, OH 44139-2631 United States
This is to certify that representative samples of	VGMI7 - Sway-brace Devices, Nonrigid Type for Sprinkler Systems Certified for Canada See Addendum Page for Product Designation(s).
	Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 203A Edition: 1 Issue Date: 2015-12-18 Revision Date: 2019-8-8
Additional Information:	See the UL Online Certifications Directory at https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-CA-2228913-0 EX26895-20220630 11-Jul-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CSB12CBL	Cable and cable fittings
CSB18CBL	Cable and cable fittings
CSB2W(YY)URC(WW)L(ZZ), WW = Fastener Size	Fittings
14=1/4 38= 3/8 12= ¹ / ₂ 58= 5/8 34= 3/4	
78= 7/8	
YY = Cable Size	JI)(UI)(UI)(UI)(UI)(UI)
12= 3/32 18= 1/8 36= 3/16	
ZZ = Cable Length in increments of feet.	
CSB36CBL	Cable and cable fittings
CSBBARJ(XX) + CSBURC12, (XX) indicates the coating	Structure attachment fittings and adapters
finish designation- EG = Electrogalvanized, HD = Hot-	
Dipped, PL = Plain	JI X UI X UI X UI X UI X UI X
CSBBC075(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	ちろろろろ
Hot-Dipped, PL = Plain	1. VII. VII. VII. VII. V
CSBBC075(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	
Hot-Dipped, PL = Plain	
CSBIB075085(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	
Hot-Dipped, PL = Plain	
CSBIB075085(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	「し八~し八~し八~し八~し八
Hot-Dipped, PL = Plain	\times \times \times \times \times
CSBIB075145(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	
Hot-Dipped, PL = Plain	
CSBIB075145(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	ϓĹϪϓĹϪϓĹϪϓĹͶ
Hot-Dipped, PL = Plain	
CSBIB125180(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	VIXUIXUIXUIXUIX
Hot-Dipped, PL = Plain	919191919
CSBIB125180(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	1. VII. VII. VII. VII. V
Hot-Dipped, PL = Plain	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

Bamely

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-CA-2228913-0 EX26895-20220630 11-Jul-2022

CSBMA050050(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	Or detaile attachment httings and adapters
Hot-Dipped, PL = Plain	
CSBMA050050(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	
Hot-Dipped, PL = Plain	
CSBMA050075(XX) + CSBNPC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	
Hot-Dipped, PL = Plain	
CSBMA050075(XX) + CSBURC12, (XX) indicates the	Structure attachment fittings and adapters
coating finish designation- EG = Electrogalvanized, HD =	3
Hot-Dipped, PL = Plain	
CSBNPC(WW)	Fittings
CSBS1 + CSBURC12	Structure attachment fittings and adapters
CSBS2 + CSBURC12	Structure attachment fittings and adapters
CSBS3 + CSBURC12	Structure attachment fittings and adapters
CSBS4 + CSBURC12	Structure attachment fittings and adapters
CSBS5 + CSBURC12	Structure attachment fittings and adapters
CSBURC(WW), WW = Fastener Size	Fittings
14=1/4 38= 3/8 12= ½ 58= 5/8 34= 3/4	
78= 7/8	
YY = Cable Size	
12= 3/32 18= 1/8 36= 3/16	
ZZ = Cable Length in increments of feet.	
CSBURCR(WW), WW = Fastener Size	Fittings
14=1/4 38= 3/8 12= ½ 58= 5/8 34= 3/4	<u>·</u> ͺͺͺͺͺͺͺͺͺ
78= 7/8	
YY = Cable Size	
12= 3/32 18= 1/8 36= 3/16	
ZZ = Cable Length in increments of feet.	
XXXXXX	XXXXX

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/